



XMPP

XEP-0398: User Avatar to vCard-Based Avatars Conversion

Daniel Gultsch

<mailto:daniel@gultsch.de>

<xmpp:daniel@gultsch.de>

2018-08-27

Version 0.2.1

Status	Type	Short Name
Experimental	Standards Track	pep-vcard-conversion

This specification describes a method for using PEP based avatars and vCard based avatars in parallel by having the user's server do a conversion between the two.

Legal

Copyright

This XMPP Extension Protocol is copyright © 1999 – 2018 by the [XMPP Standards Foundation](#) (XSF).

Permissions

Permission is hereby granted, free of charge, to any person obtaining a copy of this specification (the "Specification"), to make use of the Specification without restriction, including without limitation the rights to implement the Specification in a software program, deploy the Specification in a network service, and copy, modify, merge, publish, translate, distribute, sublicense, or sell copies of the Specification, and to permit persons to whom the Specification is furnished to do so, subject to the condition that the foregoing copyright notice and this permission notice shall be included in all copies or substantial portions of the Specification. Unless separate permission is granted, modified works that are redistributed shall not contain misleading information regarding the authors, title, number, or publisher of the Specification, and shall not claim endorsement of the modified works by the authors, any organization or project to which the authors belong, or the XMPP Standards Foundation.

Warranty

NOTE WELL: This Specification is provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall the XMPP Standards Foundation or any author of this Specification be liable for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising from, out of, or in connection with the Specification or the implementation, deployment, or other use of the Specification (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if the XMPP Standards Foundation or such author has been advised of the possibility of such damages.

Conformance

This XMPP Extension Protocol has been contributed in full conformance with the XSF's Intellectual Property Rights Policy (a copy of which can be found at <https://xmpp.org/about/xsf/ipr-policy>) or obtained by writing to XMPP Standards Foundation, P.O. Box 787, Parker, CO 80134 USA).

Contents

1	Introduction	1
2	Discovery	1
3	Conversion	2
3.1	From PEP to vCard	2
3.2	From vCard to PEP	2
4	Presence Broadcast	2
5	Implementation Notes	3
6	Security Considerations	3
7	IANA Considerations	4
8	XMPP Registrar Considerations	4
9	XML Schema	4
10	Acknowledgements	4

1 Introduction

User Avatar (XEP-0084) ¹ and vCard-Based Avatars (XEP-0153) ² are usually considered to stand in competition with each other. XEP-0084 even talks about superseding XEP-0153 in the future. While XEP-0084 provides a more efficient interface to upload avatars by separating metadata and data (thus saving the client from having to download its own avatar on every connect) it has the significant downside of not working with Multi-User Chat (XEP-0045) ³. Server implementations can aid to resolve this conflict by automatically putting avatars uploaded with XEP-0084 into XEP-0153 storage and vice versa. This allows clients to use the more efficient XEP-0084 for uploading avatars and XEP-0153 to retrieve avatars in Multi-User Chats.

2 Discovery

The conversion is transparent to the uploading entity. However an entity might want to discover if a service will be performing the conversion from XEP-0084 to XEP-0153 since using vCard-Based Avatars will make the uploaded avatar publicly available. (See the “Security Considerations” section of this XEP.)

The service MUST include a Service Discovery (XEP-0030) ⁴ feature of “urn:xmpp:pep-vcard-conversion:0” on the account.

Listing 1: Client sends service discovery request to own account

```
<iq from='romeo@montague.tld/garden'
  id='01'
  type='get'
  to='romeo@montague.tld'>
  <query xmlns='http://jabber.org/protocol/disco#info' />
</iq>
```

Listing 2: Server includes feature namespace in response

```
<iq from='romeo@montague.tld'
  id='01'
  type='result'
  to='romeo@montague.tld/garden'>
  <query xmlns='http://jabber.org/protocol/disco#info'>
    <feature var='urn:xmpp:pep-vcard-conversion:0' />
  </query>
</iq>
```

¹XEP-0084: User Avatar <<https://xmpp.org/extensions/xep-0084.html>>.

²XEP-0153: vCard-Based Avatars <<https://xmpp.org/extensions/xep-0153.html>>.

³XEP-0045: Multi-User Chat <<https://xmpp.org/extensions/xep-0045.html>>.

⁴XEP-0030: Service Discovery <<https://xmpp.org/extensions/xep-0030.html>>.

3 Conversion

Modern clients are expected to use PEP (XEP-0084) as the interface to upload their avatar and use vCard (XEP-0153) only as a read only fallback. Thus a service **MUST** support conversion from PEP to vCard. A service **MAY** support conversion from vCard to PEP in order to display avatars in clients that only support XEP-0084.

3.1 From PEP to vCard

Upon receiving a publication request to the 'urn:xmpp:avatar:metadata' node the service **MUST** look up the corresponding item published in the 'urn:xmpp:avatar:data' node and store the content of the data element as a photo in the vcard. Services **MUST** consider the fact that the metadata node might contain multiple info elements and **MUST** pick the info element that does not point to an external URL. Services **SHOULD** verify that the SHA-1 hash of the image matches the id.

3.2 From vCard to PEP

Upon receiving a vCard publication request with a valid photo attached to it a service **MUST** first publish an item to the 'urn:xmpp:avatar:data' node on behalf of the requesting entity. The id of that item **MUST** be the SHA-1 hash of the image as described in XEP-0084. Afterwards the service **MUST** publish a new item to the 'urn:xmpp:avatar:metadata' node with one info element that represents the newly published image using the type value from the vCard as a type attribute in the info element.

After publication the service **SHOULD** send out notification messages to all subscribers of the metadata node.

4 Presence Broadcast

The “Business Rules” section of XEP-0153 tells entities to include a hash of the vCard avatar in their presence. However this requires clients to retrieve the avatar on every connect to calculate the hash. To avoid this, services **MUST** include the hash on behalf of their users in every available presence that does not contain an empty photo element wrapped in an x element qualified by the 'vcard-temp:x:update' namespace. Empty x elements qualified by the 'vcard-temp:x:update' namespace (those without a photo element as child) **MUST** be overwritten. Presences where the content of the photo element is not empty and not equal to the hash calculated by the service **MAY** be overwritten.

Listing 3: Client sends presence to server

```
<presence/>
```

Listing 4: Server forwards presence to other entities that have presence subscription

```
<presence to='juliet@capulet.tld' from='romeo@montague.tld/garden'>
  <x xmlns='vcard-temp:x:update'>
    <photo>sha1-hash-of-image</photo>
  </x>
</presence>
```

Listing 5: Client sends a presence containing an empty photo element

```
<presence>
  <x xmlns='vcard-temp:x:update'>
    <photo/>
  </x>
</presence>
```

Listing 6: The server redirects the presence but doesn't touch the photo element

```
<presence to='juliet@capulet.tld' from='romeo@montague.tld/garden'>
  <x xmlns='vcard-temp:x:update'>
    <photo/>
  </x>
</presence>
```

The hash MUST also be injected into directed presences such as MUC joins

5 Implementation Notes

Implementing clients SHOULD use the more efficient XEP-0084 to access their own avatar storage and implement XEP-0153 only to download avatars from other entities if they do not have mutual presence subscription with said entity. (For example participants in a Multi-User Chat.)

Services will inject the hash in directed presences automatically but will not resend the presence if the avatar gets updated. Thus clients MAY resend directed available presence to all Multi-User Chats after receiving a 'urn:xmpp:avatar:metadata' update notification. The service will then inject an updated version of the hash. To avoid sending unnecessary presence updates, resending should only occur if the service announces the 'urn:xmpp:pep-vcard-conversion:0' feature.

6 Security Considerations

XEP-0084 has a default access model that only allows entities with mutual presence subscription to access the published avatar. XEP-0153 has no access control at all. Clients that discover the disco feature 'urn:xmpp:pep-vcard-conversion:0' on the account MAY warn users that

uploading an avatar will make that avatar accessible to anyone who knows the Jabber ID. In the future services MAY decide to perform PEP to vCard conversion only if the access model of the 'urn:xmpp:avatar:data' node has been set to 'open' as described in [Publish-Subscribe \(XEP-0060\)](#)⁵. However the ability to change the access model of nodes isn't widely implemented yet and thus this paragraph exists only to act as a reminder that the privacy implications described in the previous paragraph can be avoided

7 IANA Considerations

This document requires no interaction with the Internet Assigned Numbers Authority (IANA).

8 XMPP Registrar Considerations

This specification defines the following XML namespace:

- urn:xmpp:pep-vcard-conversion:0

9 XML Schema

tbd

10 Acknowledgements

Special thanks to Evgeny Khramtsov who implemented what is now written down as a XEP in ejabberd and created the inspiration for this XEP.

⁵XEP-0060: Publish-Subscribe <<https://xmpp.org/extensions/xep-0060.html>>.