



XMPP

XEP-0409: IM Routing-NG

Kevin Smith

<mailto:kevin@kismith.co.uk>

<xmpp:kevin@doomsong.co.uk>

2018-06-05

Version 0.1.0

Status	Type	Short Name
Deferred	Standards Track	IM-NG

This specification provides a new set of routing rules for modern instant messaging.

Legal

Copyright

This XMPP Extension Protocol is copyright © 1999 – 2024 by the [XMPP Standards Foundation](#) (XSF).

Permissions

Permission is hereby granted, free of charge, to any person obtaining a copy of this specification (the "Specification"), to make use of the Specification without restriction, including without limitation the rights to implement the Specification in a software program, deploy the Specification in a network service, and copy, modify, merge, publish, translate, distribute, sublicense, or sell copies of the Specification, and to permit persons to whom the Specification is furnished to do so, subject to the condition that the foregoing copyright notice and this permission notice shall be included in all copies or substantial portions of the Specification. Unless separate permission is granted, modified works that are redistributed shall not contain misleading information regarding the authors, title, number, or publisher of the Specification, and shall not claim endorsement of the modified works by the authors, any organization or project to which the authors belong, or the XMPP Standards Foundation.

Warranty

NOTE WELL: This Specification is provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall the XMPP Standards Foundation or any author of this Specification be liable for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising from, out of, or in connection with the Specification or the implementation, deployment, or other use of the Specification (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if the XMPP Standards Foundation or such author has been advised of the possibility of such damages.

Conformance

This XMPP Extension Protocol has been contributed in full conformance with the XSF's Intellectual Property Rights Policy (a copy of which can be found at <https://xmpp.org/about/xsf/ipr-policy>) or obtained by writing to XMPP Standards Foundation, P.O. Box 787, Parker, CO 80134 USA).

Contents

1	Introduction	1
2	Requirements	1
3	Use Cases	1
3.1	Discovering Suport	1
3.2	Activation	2
3.3	Sending messages	2
4	Business Rules	3
5	Security Considerations	4
6	IANA Considerations	4
7	XMPP Registrar Considerations	4
8	XML Schema	4

1 Introduction

Since the XMPP routing rules were originally defined, formalised in RFC 3920/3921 and refreshed in RFC 6120/6121, people's expectations of the behaviour of instant messaging systems has progressed. While the original rules encouraging routing to specific devices via full-JID routing is still very suited for some applications (particularly machine to machine communications) they are becoming less useful for IM, as the popularity of XEPs such as Carbons to adjust them and the workarounds needed for XEP-0045 have shown. Here a simpler opt-in model is proposed, whereby IM messages are sent to a bare JID, and all clients opting in to this new routing (referred to here as IM-NG) will receive them. Conversely, messages sent to a full-JID are no longer used for IM cases.

2 Requirements

Clients, both those online and offline, receive a consistent set of messages, such that it is possible to start conversations on one device and continue them on another device without inconsistent delivery of messages (no client should receive only a subset of the conversation). Interoperate with contacts using non-IM-NG routing.

3 Use Cases

3.1 Discovering Support

A server advertises support for this protocol by including the "urn:xmpp:im-ng:0" feature in its service discovery information features as specified in [Service Discovery \(XEP-0030\)](#)¹ or section 6.3 of [Entity Capabilities \(XEP-0115\)](#)².

Listing 1: Client requests information about its own server

```
<iq xmlns='jabber:client'
  from='romeo@montague.example/garden'
  id='info1'
  to='montague.example'
  type='get'>
  <query xmlns='http://jabber.org/protocol/disco#info' />
</iq>
```

Listing 2: Server responds with IM-NG feature

```
<iq xmlns='jabber:client'
  from='montague.example'
```

¹XEP-0030: Service Discovery <<https://xmpp.org/extensions/xep-0030.html>>.

²XEP-0115: Entity Capabilities <<https://xmpp.org/extensions/xep-0115.html>>.

```
    id='info1'
    to='romeo@montague.example/garden'
    type='result'>
<query xmlns='http://jabber.org/protocol/disco#info'>
    ...
    <feature var='urn:xmpp:im-ng:0' />
    ...
</query>
</iq>
```

3.2 Activation

When a client wants to participate in the IM-NG protocol, it enables the protocol by sending an IQ-set containing a child element `<enable/>` qualified by the namespace `"urn:xmpp:im-ng:0"`:

Listing 3: Client enables IM-NG

```
<iq xmlns='jabber:client'
    from='romeo@montague.example/garden'
    id='enable1'
    type='set'>
  <enable xmlns='urn:xmpp:im-ng:0' />
</iq>
```

The server will respond with an IQ-result when IM-NG is enabled:

Listing 4: Server acknowledges enabling IM-NG

```
<iq xmlns='jabber:client'
    from='romeo@montague.example'
    id='enable1'
    to='romeo@montague.example/garden'
    type='result' />
```

3.3 Sending messages

When an entity wants to send a non-error message to be handled by all a user's IM-NG clients they will send it to the user's bare JID, which the receiving server then **MUST** send to all the contact's IM-NG resources, and the sending server must reflect to all the user's IM-NG resources.

Listing 5: Client sends a message that IM-NG will route to all resources

```
<message xmlns='jabber:client'
    from='montague@montague.example/bas149a'
    to='benvolio@shakespeare.example'>
```

```

    id='342'
    type='chat'>
    <body>I neither know it nor can learn of him</body>
  </message>

```

When an entity wants to send a non-error message to be received exclusively by a single resource, they include an `<im-ng xmlns='urn:xmpp:im-ng:0'>` element in the message. An IM-NG server receiving this MUST then send it to only the specified resource, if available, or respond with an error consistent with RFC-6121 ("return an error stanza to the sender, which SHOULD be `<service-unavailable/>`").

Listing 6: Client sends a message that IM-NG will route to a single resource

```

<message xmlns='jabber:client'
  from='montague@montague.example/bas149a'
  to='benvolio@shakespeare.example/csa003'
  id='343'
  type='chat'>
  <im-ng xmlns='urn:xmpp:im-ng:0' />
</message>

```

4 Business Rules

Any message of normal type, or type 'chat', 'groupchat' or 'headline' sent to a bare JID is distributed to all IM-NG clients (error messages sent to the bare JID are in response to server-generated stanzas, and so are not routed to clients).

A message of type error, sent to a full JID without an `<im-ng xmlns='urn:xmpp:im-ng:0'>` element is to be distributed to all IM-NG clients

Any message that is routed to all IM-NG clients is stored in the MAM archive, where available, and any message that would not be routed to all IM-NG clients is not stored in the MAM archive

In order for interoperability with other entities (contacts, remote servers etc.) that don't support IM-NG, old-style full-JID messages also need to be handled. When a server receives a message with type other than 'groupchat' or 'headline' that does not contain an `<im-ng xmlns='urn:xmpp:im-ng:0'>` element it is to be routed by the above rules as if they were sent to the bare JID

A client activating IM-NG MUST NOT also activate Carbons.

An IM-NG client SHOULD send all IM-related messages to bare JIDs (as full-JID messages would not be distributed appropriately).

An IM-NG client SHOULD ignore any IM-related messages that are sent to a full-JID with an `<im-ng xmlns='urn:xmpp:im-ng:0'>` element (see Security Considerations).

When reflecting an IM-NG client's outbound bare-JID messages, the server SHOULD reflect the archived version (i.e. after any transforms have taken place).

5 Security Considerations

Malicious clients could attempt to avoid having messages archived by causing them to be routed only to individual resources - this is mitigated by ensuring that clients receiving such a message will not process them.

6 IANA Considerations

None.

7 XMPP Registrar Considerations

Register 'urn:xmpp:im-ng:0' on Draft.

8 XML Schema

TODO: Before Draft.