



XMPP

XEP-0412: XMPP Compliance Suites 2019

Georg Lukas
<mailto:georg@op-co.de>
<xmpp:georg@yax.im>

2020-01-28
Version 1.0.1

Status	Type	Short Name
Obsolete	Standards Track	CS2019

This document defines XMPP protocol compliance levels.

Legal

Copyright

This XMPP Extension Protocol is copyright © 1999 – 2020 by the [XMPP Standards Foundation](#) (XSF).

Permissions

Permission is hereby granted, free of charge, to any person obtaining a copy of this specification (the "Specification"), to make use of the Specification without restriction, including without limitation the rights to implement the Specification in a software program, deploy the Specification in a network service, and copy, modify, merge, publish, translate, distribute, sublicense, or sell copies of the Specification, and to permit persons to whom the Specification is furnished to do so, subject to the condition that the foregoing copyright notice and this permission notice shall be included in all copies or substantial portions of the Specification. Unless separate permission is granted, modified works that are redistributed shall not contain misleading information regarding the authors, title, number, or publisher of the Specification, and shall not claim endorsement of the modified works by the authors, any organization or project to which the authors belong, or the XMPP Standards Foundation.

Warranty

NOTE WELL: This Specification is provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall the XMPP Standards Foundation or any author of this Specification be liable for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising from, out of, or in connection with the Specification or the implementation, deployment, or other use of the Specification (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if the XMPP Standards Foundation or such author has been advised of the possibility of such damages.

Conformance

This XMPP Extension Protocol has been contributed in full conformance with the XSF's Intellectual Property Rights Policy (a copy of which can be found at <https://xmpp.org/about/xsf/ipr-policy>) or obtained by writing to XMPP Standards Foundation, P.O. Box 787, Parker, CO 80134 USA).

Contents

1	Introduction	1
2	Compliance Categories	1
2.1	Core Compliance Suite	1
2.2	Web Compliance Suite	5
2.3	IM Compliance Suite	7
2.4	Mobile Compliance Suite	16
3	Implementation Notes	18
4	Security Considerations	18
5	IANA Considerations	19
6	XMPP Registrar Considerations	19
7	Acknowledgements	19

1 Introduction

The [XMPP Standards Foundation \(XSF\)](#)¹ defines protocol suites for the purpose of compliance testing and software certification. This document specifies compliance levels for XMPP clients and servers; it is hoped that this document will advance the state of the art, and provide guidance and eventual certification to XMPP client and server authors.

This document defines **Categories** based on typical use cases (Core, Web, IM, Mobile) and **Levels** (Core, Advanced) based on functionality in the respective category.

Unless explicitly noted, support for the listed specifications is REQUIRED for compliance purposes. A feature is considered supported if all comma separated feature providers listed in the "Providers" column are implemented (unless otherwise noted).

2 Compliance Categories

2.1 Core Compliance Suite

¹The XMPP Standards Foundation (XSF) is an independent, non-profit membership organization that develops open extensions to the IETF's Extensible Messaging and Presence Protocol (XMPP). For further information, see <<https://xmpp.org/about/xmpp-standards-foundation>>.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Core features	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RFC 6120 RFC 6120: Extensible Messag- ing and Presence Protocol (XMPP): Core < http://tools.ietf.org/html/rfc6120 > RFC 7622 RFC 7622: Extensible Messag- ing and Presence Protocol (XMPP): Address Format < http://tools.ietf.org/html/rfc7622 > is not listed due to the unclear interop- erability impact of using PRECIS and Stringprep in the same ecosystem.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
TLS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RFC 7590 RFC 7590: Use of Transport Layer Security (TLS) in the Extensible Messag- ing and Presence Proto- col (XMPP)
Direct TLS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Server support of XEP-0368 means having the ability to accept direct TLS connec- tions.	<input type="checkbox"/>	< http://tools.ietf.org/html/rfc7590 > SRV records for XMPP over TLS (XEP-0368) XEP- 0368: SRV records for XMPP over TLS < https://xmpp.org/extensions/x0368.html >.
Feature discovery	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Service Discovery (XEP-0030) XEP-0030: Service Discovery < https://xmpp.org/extensions/x0030.html >.
Feature broadcasts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Entity Ca- pabilities (XEP-0115) XEP-0115: Entity Ca- pabilities < https://xmpp.org/extensions/x0115.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Server Extensibility	<input type="checkbox"/>	N/A	<input type="checkbox"/>	N/A	Jabber Component Protocol (XEP-0114) XEP-0114: Jabber Component Protocol < https://xmpp.org/extensions/x0114.html >.
Event publishing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> While 'Personal Eventing Protocol' does not require all the features of 'Publish-Subscribe' to be available on the users' JIDs, and nor does this suite, it is desirable for this to be the case and it is expected that this will a requirement of future Compliance Suites.	<input type="checkbox"/>	Personal Eventing Protocol (XEP-0163) XEP-0163: Personal Eventing Protocol < https://xmpp.org/extensions/x0163.html >.

2.2 Web Compliance Suite

To be considered XMPP web compliant, all features from the core compliance category must be met, as well as all features in this suite.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Web Connection Mechanisms	<input type="checkbox"/> Support can be enabled via an external component or an internal server module/-plugin. If claiming compliance using such an addition, the necessary components/-modules/-plugins MUST be detailed.	<input type="checkbox"/> Only one of the recommended providers must be implemented for compliance.	<input type="checkbox"/> Support can be enabled via an external component or an internal server module/-plugin. If claiming compliance using such an addition, the necessary components/-modules/-plugins MUST be detailed.	<input type="checkbox"/> Only one of the recommended providers must be implemented for compliance.	RFC 7395 RFC 7395: An Extensible Messaging and Presence Protocol (XMPP) Subprotocol for Web-Socket -<http://tools.ietf.org/html/rfc7395> XMPP Over BOSH (XEP-0206) XEP-0206: XMPP Over BOSH -<https://xmpp.org/extensions/0206.html> . (See also: BOSH (XEP-0124) XEP-0124: Bidirectional-streams Over Synchronous HTTP -<https://xmpp.org/extensions/0124.html> .)

2.3 IM Compliance Suite

To be considered XMPP IM compliant, all features from the core compliance category must be met, as well as all features in this suite.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Core features	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	RFC 6121 RFC 6121: Ex-ten- sible Mes- sag- ing and Pres- ence Pro- to-col (XMPP): In- stant Mes- sag- ing and Pres- ence < http://tools.ietf.org/html/
User Avatars	N/A	<input type="checkbox"/>	N/A	<input type="checkbox"/> Not re- quired for com- mand line or ter- minal based inter- faces.	User Avatar (XEP-0084) XEP-0084: User Avatar < https://xmpp.org/extensions/0084.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
User Avatar Compatibility	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Not required for command line or terminal based interfaces.	User Avatar to vCard-Based Avatars Con- version (XEP-0398) XEP-0398: User Avatar to vCard-Based Avatars Con- version < https://xmpp.org/extensions/0398.html >., vCard-Based Avatars (XEP-0153) XEP-0153: vCard-Based Avatars < https://xmpp.org/extensions/0153.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
vcard-temp	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	vcard-temp (XEP-0054) XEP-0054: vcard-temp < https://xmpp.org/extensions/0054.html >.
Outbound Message Synchronization	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Carbons (XEP-0280) XEP-0280: Message Carbons < https://xmpp.org/extensions/0280.html >.
User Blocking	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Blocking Command (XEP-0191) XEP-0191: Blocking Command < https://xmpp.org/extensions/0191.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Group Chat	Support can be enabled via an external component or an internal server module/plugin. If claiming compliance using such an addition, the necessary components/mod-ules/plugins MUST be detailed.	Support for the Entity Use Cases and Occu-pant Use Cases is RE-QUIRED; support for the main-ing use cases is RE-COMMENDED	Support can be enabled via an external component or an internal server module/plugin. If claiming compliance using such an addition, the necessary components/mod-ules/plugins MUST be detailed.	Support for the Entity Use Cases and Occu-pant Use Cases is RE-QUIRED; support for the main-ing use cases is RE-COMMENDED	Multi-User Chat (XEP-0045) XEP-0045: Multi-User Chat < https://xmpp.org/extensions/0045.html >.Implementation should take note that future versions of these compliance suites may rely on Mediated Information Exchange (MIX) (XEP-0369) XEP-0369: Mediated Information Exchange (MIX) < https://xmpp.org/extensions/0369.html >. Instead, Direct MUC

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Advanced Group Chat	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bookmark Storage (XEP-0048) XEP-0048: Bookmark Storage or an internal server module/plugin. If claiming compliance using such an addition, the necessary components/modules/plugins MUST be detailed.
					Bookmark Storage (XEP-0048) XEP-0048: Bookmark Storage < https://xmpp.org/extensions/0048.html >., Message Archive Management (XEP-0313) XEP-0313: Message Archive Management < https://xmpp.org/extensions/0313.html >.Support for requesting history from a MUC archive as opposed to from the user's account., MUC Self-Ping (Schrödinger's Chat) (XEP-0410)

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Persistent Storage of Private Data via PubSub	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Best Practices for Persistent Storage of Private Data via Publish-Subscribe (XEP-0223) XEP-0223: Best Practices for Persistent Storage of Private Data via Publish-Subscribe < https://xmpp.org/extensions/0223.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Private XML Storage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Private XML Storage (XEP-0049) XEP-0049: Private XML Storage < https://xmpp.org/extensions/0049.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Session Resumption	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stream Management (XEP-0198) XEP-0198: Stream Management < https://xmpp.org/extensions/0198.html >.
Stanza Acknowledgements	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stream Management (XEP-0198) XEP-0198: Stream Management < https://xmpp.org/extensions/0198.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Message Acknowledgements	N/A	<input type="checkbox"/>	N/A	<input type="checkbox"/>	Message Delivery Receipts (XEP-0184) XEP-0184: Message Delivery Receipts < https://xmpp.org/extensions/0184.html >.
History Storage / Retrieval	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Message Archive Management (XEP-0313) XEP-0313: Message Archive Management < https://xmpp.org/extensions/0313.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Chat States	N/A	<input type="checkbox"/>	N/A	<input type="checkbox"/>	Chat State Notifications (XEP-0085) XEP-0085: Chat State Notifications < https://xmpp.org/extensions/0085.html >.
Message Correction	N/A	<input type="checkbox"/>	N/A	<input type="checkbox"/>	Last Message Correction (XEP-0308) XEP-0308: Last Message Correction < https://xmpp.org/extensions/0308.html >.

2.4 Mobile Compliance Suite

To be considered XMPP mobile compliant, all features from the core compliance category must be met, as well as all features in this suite.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Session Resumption	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stream Management (XEP-0198) XEP-0198: Stream Management < https://xmpp.org/extensions/0198.html >.
Stanza Acknowledgements	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stream Management (XEP-0198) XEP-0198: Stream Management < https://xmpp.org/extensions/0198.html >.
Client State Indication	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Client State Indication (XEP-0352) XEP-0352: Client State Indication < https://xmpp.org/extensions/0352.html >.

Feature	Core Server	Core Client	Advanced Server	Advanced Client	Providers
Third Party Push Notifications	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Support can be enabled via an external component or an internal server module/plugin. If claiming compliance using such an addition, the necessary components/modules/plugins MUST be detailed.	<input type="checkbox"/>	Push Notifications (XEP-0357) XEP-0357: Push Notifications < https://xmpp.org/extensions/0357.html >.

3 Implementation Notes

Some of the protocol specifications referenced herein have their own dependencies; developers need to consult the relevant specifications for further information.

4 Security Considerations

This document introduces no additional security considerations above and beyond those defined in the documents on which it depends.

5 IANA Considerations

This document requires no interaction with the [Internet Assigned Numbers Authority \(IANA\)](#)².

6 XMPP Registrar Considerations

This document requires no interaction with the [XMPP Registrar](#)³.

7 Acknowledgements

The author would like to thank Guus der Kinderen, Dele Olajide, Marc Laporte, Dave Cridland, Daniel Gultsch, Florian Schmaus, Tobias Markmann, and Jonas Schäfer for their suggestions.

²The Internet Assigned Numbers Authority (IANA) is the central coordinator for the assignment of unique parameter values for Internet protocols, such as port numbers and URI schemes. For further information, see <http://www.iana.org/>.

³The XMPP Registrar maintains a list of reserved protocol namespaces as well as registries of parameters used in the context of XMPP extension protocols approved by the XMPP Standards Foundation. For further information, see <https://xmpp.org/registrar/>.