



XMPP

XEP-0456: Content Rating Labels

Jonas Schäfer

<mailto:jonas@zombofant.net>

<xmpp:jonas@zombofant.net>

2021-03-28

Version 0.2.0

Status	Type	Short Name
Experimental	Standards Track	cr1

This specification provides a wire format in the form of a Service Discovery extension to allow services of various kinds to publish information about the kind of content they allow and/or endorse on their platform.

Legal

Copyright

This XMPP Extension Protocol is copyright © 1999 – 2024 by the [XMPP Standards Foundation](#) (XSF).

Permissions

Permission is hereby granted, free of charge, to any person obtaining a copy of this specification (the "Specification"), to make use of the Specification without restriction, including without limitation the rights to implement the Specification in a software program, deploy the Specification in a network service, and copy, modify, merge, publish, translate, distribute, sublicense, or sell copies of the Specification, and to permit persons to whom the Specification is furnished to do so, subject to the condition that the foregoing copyright notice and this permission notice shall be included in all copies or substantial portions of the Specification. Unless separate permission is granted, modified works that are redistributed shall not contain misleading information regarding the authors, title, number, or publisher of the Specification, and shall not claim endorsement of the modified works by the authors, any organization or project to which the authors belong, or the XMPP Standards Foundation.

Warranty

NOTE WELL: This Specification is provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall the XMPP Standards Foundation or any author of this Specification be liable for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising from, out of, or in connection with the Specification or the implementation, deployment, or other use of the Specification (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if the XMPP Standards Foundation or such author has been advised of the possibility of such damages.

Conformance

This XMPP Extension Protocol has been contributed in full conformance with the XSF's Intellectual Property Rights Policy (a copy of which can be found at <https://xmpp.org/about/xsf/ipr-policy>) or obtained by writing to XMPP Standards Foundation, P.O. Box 787, Parker, CO 80134 USA).

Contents

1	Introduction	1
1.1	Prior Art	1
2	Requirements	1
3	Glossary	2
4	Data Format	2
4.1	Plain-text compatibility	2
5	Use Cases	3
5.1	Publishing a Content Self-Rating in Service Discovery information	3
5.2	Offering configuration of the Self-Rating of a XEP-0045 Multi-User-Chat	3
6	Business Rules	3
7	Internationalization Considerations	4
8	Security Considerations	4
9	IANA Considerations	4
10	XMPP Registrar Considerations	4
11	XML Schema	4

1 Introduction

The more a communication system grows and increases its diversity, the more likely it is that conflicts arise over which content is acceptable and which is not. In addition, some content may be psychologically triggering or harmful to different people or age groups, while the same content may be desirable to share and talk about in other groups.

This specification intends to provide a machine-readable and extensible way of conveying the kinds and classes of content which are acceptable, and hence to be expected, on a service. Such a service can be an instant messaging account server, a [Multi-User Chat \(XEP-0045\)](#)¹ service or room, a [Mediated Information eXchange \(MIX\) \(XEP-0369\)](#)² service or channel or any other entity which is able to publish extensions as per [Service Discovery Extensions \(XEP-0128\)](#)³.

The content ratings are provided as a set of free-form strings, scoped by a type URI.

1.1 Prior Art

This idea is not new. The W3C for instance has had two initiatives revolving around labelling content for the web. The [Platform for Internet Content Selection \(PICS\)](#) has been superseded by the [Protocol for Web Description Resources \(POWDER\)](#).

While the PICS approach is roughly similar to what this document intends to achieve, the POWDER standard goes way beyond that and provides much more extension points, at the cost of higher complexity.

[Security Labels in XMPP \(XEP-0258\)](#)⁴ provides a way to embed security labels in contexts where clearance to view specific content is required. While the rating of content is roughly similar, the XEP-0258 standard goes beyond that by placing restrictions on entities which carry such labels in a way which is not desirable for this standard.

Specifically, the document states that supporting implementations MUST NOT allow the `<securitylabel/>` element outside of contexts of specifications known to them, which could pose interoperability issues if that element was reused for *this* specification.

2 Requirements

- **Extensibility:** The protocol must allow for custom labels in both federated and non-federated contexts.
- **Flexibility:** The protocol must allow for use in different contexts. It must not be tied to [Multi-User Chat \(XEP-0045\)](#)⁵ services only, nor must it be restricted to be applied to

¹XEP-0045: Multi-User Chat <<https://xmpp.org/extensions/xep-0045.html>>.

²XEP-0369: Mediated Information eXchange (MIX) <<https://xmpp.org/extensions/xep-0369.html>>.

³XEP-0128: Service Discovery Extensions <<https://xmpp.org/extensions/xep-0128.html>>.

⁴XEP-0258: Security Labels in XMPP <<https://xmpp.org/extensions/xep-0258.html>>.

⁵XEP-0045: Multi-User Chat <<https://xmpp.org/extensions/xep-0045.html>>.

messages.

- **Machine readability:** All labels need to have a definition which can be used in filtering or selection algorithms in order to remove/provide specific kinds of content.
- **Interoperability:** Applications should be able to make an approximate choice even if the label set contains labels which are not known to it.

3 Glossary

Content Label: A free-form string qualified by a type URI.

Content Rating: A set of Content Labels which describes the classes of content which may be encountered at the entity to which the rating applies.

4 Data Format

The Content Rating is conveyed using a set of free-form strings qualified by a type attribute, the Content Labels.

A Content Label is represented by a single XML `<simple-label/>` element qualified by the `urn:xmpp:crl:0` namespace:

```
<simple-label xmlns="urn:xmpp:crl:0" type="http://example.com/content-ratings">type-defined string format</simple-label>
```

The type attribute MUST be a URI. It defines the format of the CDATA contained in the `<simple-label/>` element. The character data of the `<simple-label/>` element MUST NOT contain control codes (including newline and horizontal tab).

The type URI must be URL-encoded, escaping all whitespace.

A Content Rating is represented by a `<content-rating/>` XML element qualified by the `urn:xmpp:crl:0` namespace. It carries zero or more `<simple-label/>` child elements as described above.

Future extensions MAY specify other child elements for `<content-rating/>` in separate namespaces. See the business rules for an approach for handling those unexpected elements.

4.1 Plain-text compatibility

If the format needs to be conveyed in plain text form, for example to carry the list of labels in [Service Discovery Extensions \(XEP-0128\)](#)⁶ or a [Data Forms \(XEP-0004\)](#)⁷ configuration form, the structure described above is converted to a simple text-based form.

⁶XEP-0128: Service Discovery Extensions <<https://xmpp.org/extensions/xep-0128.html>>.

⁷XEP-0004: Data Forms <<https://xmpp.org/extensions/xep-0004.html>>.

Each `<simple-label/>` element is converted to a line of text. The line is composed of the value of the `type` attribute of the element, followed by a single space character (U+0020), followed by the character data of the element.

5 Use Cases

5.1 Publishing a Content Self-Rating in Service Discovery information

An entity may publish a content self-rating using [Service Discovery Extensions \(XEP-0128\)](#)⁸. For this, a [Data Forms \(XEP-0004\)](#)⁹ form with the `urn:xmpp:crl:0 FORM_TYPE` is defined. All labels are mapped to a single text-multi.

```
<x type='result' xmlns='jabber:x:data'>
  <field var='FORM_TYPE'>
    <value>urn:xmpp:crl:0</value>
  </field>
  <field var='urn:xmpp:crl:0#simple-labels' type='text-multi'>
    <value>http://example.com/content-ratings type-defined string
      format</value>
  </field>
</x>
```

Each line in the text-multi field corresponds to a converted `<simple-label/>` element as described above.

5.2 Offering configuration of the Self-Rating of a XEP-0045 Multi-User-Chat

Entities with sufficient permissions to modify [Multi-User Chat \(XEP-0045\)](#)¹⁰ room configuration SHOULD be offered a text-multi form field of the format described above. If offered this field MUST be mapped to the format described above in the [Service Discovery \(XEP-0030\)](#)¹¹ response of the room.

6 Business Rules

- Implementations need to decide how to handle unknown child elements in `<content-rating/>`. Depending on the level of certainty required in interpreting a `<content-rating/>` element, implementations for example choose to either silently ignore unknown elements or treat them as the worst possible rating.

⁸XEP-0128: Service Discovery Extensions <<https://xmpp.org/extensions/xep-0128.html>>.

⁹XEP-0004: Data Forms <<https://xmpp.org/extensions/xep-0004.html>>.

¹⁰XEP-0045: Multi-User Chat <<https://xmpp.org/extensions/xep-0045.html>>.

¹¹XEP-0030: Service Discovery <<https://xmpp.org/extensions/xep-0030.html>>.

7 Internationalization Considerations

Implementations which convert the labels to human-readable strings need to translate those strings. For now, no provision is made to provide pre-translated texts.

8 Security Considerations

REQUIRED.

9 IANA Considerations

REQUIRED.

10 XMPP Registrar Considerations

REQUIRED.

11 XML Schema

REQUIRED for protocol specifications.