



XMPP

XEP-0492: Chat notification settings

Nicolas Cedilnik

<mailto:nicoco@nicoco.fr>

<xmpp:nicoco@nicoco.fr>

2024-07-01

Version 0.1.0

Status	Type	Short Name
Experimental	Standards Track	notification-settings

This document defines an XMPP protocol extension to synchronise per-chat notification settings across different clients.

Legal

Copyright

This XMPP Extension Protocol is copyright © 1999 – 2024 by the [XMPP Standards Foundation](#) (XSF).

Permissions

Permission is hereby granted, free of charge, to any person obtaining a copy of this specification (the "Specification"), to make use of the Specification without restriction, including without limitation the rights to implement the Specification in a software program, deploy the Specification in a network service, and copy, modify, merge, publish, translate, distribute, sublicense, or sell copies of the Specification, and to permit persons to whom the Specification is furnished to do so, subject to the condition that the foregoing copyright notice and this permission notice shall be included in all copies or substantial portions of the Specification. Unless separate permission is granted, modified works that are redistributed shall not contain misleading information regarding the authors, title, number, or publisher of the Specification, and shall not claim endorsement of the modified works by the authors, any organization or project to which the authors belong, or the XMPP Standards Foundation.

Warranty

NOTE WELL: This Specification is provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE.

Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall the XMPP Standards Foundation or any author of this Specification be liable for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising from, out of, or in connection with the Specification or the implementation, deployment, or other use of the Specification (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if the XMPP Standards Foundation or such author has been advised of the possibility of such damages.

Conformance

This XMPP Extension Protocol has been contributed in full conformance with the XSF's Intellectual Property Rights Policy (a copy of which can be found at <https://xmpp.org/about/xsf/ipr-policy>) or obtained by writing to XMPP Standards Foundation, P.O. Box 787, Parker, CO 80134 USA).

Contents

1	Introduction	1
2	Protocol	1
2.1	The notify element	1
2.2	Client types	1
2.3	Advanced notification settings	2
3	Business Rules	2
4	Security Considerations	3
5	IANA Considerations	3
6	XMPP Registrar Considerations	3
6.1	Protocol Namespaces	3
6.2	Protocol Versioning	3
7	XML Schema	3

1 Introduction

”Notifications” are (usually) pop-up windows that appear in a visible area of the screen even when the emitting application is in the background, often triggering a sound alert. *Instant* messaging clients expectedly use notifications to inform users when they receive a message. Users may want to customise which conversations should trigger notifications and under which conditions. In practice, this is already implemented in many instant messaging clients, including XMPP clients. This specification proposes a mechanism to synchronise per-discussion notification settings across different XMPP clients.

2 Protocol

2.1 The notify element

Notification settings are represented by the <notify> element. This element MUST be a child of an element identifying a specific chat by its JID, such as a [PEP Native Bookmarks \(XEP-0402\)](#)¹ <extensions>.

This protocol specifies three children for the <notify> element, each corresponding to a notification setting: <always> <on-mention> and <never>.

Listing 1: Most basic example

```
<notify xmlns='urn:xmpp:notification-settings:0'>
  <never />
</notify>
```

2.2 Client types

One might want to choose different notification settings depending on the client type. In this case, a ”client-type” attribute can be added to the notification setting, using registered Service Discovery Identities.

Listing 2: An example of notification settings by client type

```
<notify xmlns='urn:xmpp:notification-settings:0'>
  <never client-type="pc" />
  <on-mention client-type="mobile" />
</notify>
```

¹XEP-0402: PEP Native Bookmarks <<https://xmpp.org/extensions/xep-0402.html>>.

2.3 Advanced notification settings

Finally, clients can use this specification to synchronise finer-grained notification settings using custom namespaces.

Listing 3: An example of notification settings by client type

```
<notify xmlns='urn:xmpp:notification-settings:0'>
  <never client-type="pc" />
  <on-mention client-type="mobile" />
  <advanced>
    <custom-extension xmlns="custom:ns-1">
      <when day-of-week="monday">night-time-only</day-of-week>
      ...
    </custom-extension>
    <custom-extension-2 xmlns="custom:ns-2">
      <weather>raining</weather>
      ...
    </custom-extension-2>
  </advanced>
</notify>
```

3 Business Rules

Entities implementing this specification MUST NOT delete or alter the advanced notification settings they do not support when updating the notification settings for a given chat.

If there is more than one notification setting for a given chat, entities implementing this specification MUST specify which client type they apply to. The (notification setting, client-type) pairs MUST be unique.

Entities using advanced notification settings SHOULD attempt to provide the basic notification setting which is the closest to what they offer as a fallback for other entities.

The "on-mention" notification MAY rely on the user's nickname being spelled out in an incoming message in a group chat, but SHOULD rely on mechanisms to explicitly "ping" the user, such as a [Message Replies \(XEP-0461\)](#)² element referring a user's previous message or a specific mention, such as a [References \(XEP-0372\)](#)³ mention.

In the absence of a notification settings for a given chat, "always" SHOULD be assumed for direct chats and private group chats, and "on-mention" for public group chats.

²XEP-0461: Message Replies <<https://xmpp.org/extensions/xep-0461.html>>.

³XEP-0372: References <<https://xmpp.org/extensions/xep-0372.html>>.

4 Security Considerations

See considerations in [PEP Native Bookmarks \(XEP-0402\)](#)⁴.

5 IANA Considerations

This document requires no interaction with the [Internet Assigned Numbers Authority \(IANA\)](#)⁵.

6 XMPP Registrar Considerations

6.1 Protocol Namespaces

This specification defines the following XML namespace:

- `urn:xmpp:notification-settings:0`

The [XMPP Registrar](#)⁶ includes this namespace in the registry located at `<https://xmpp.org/registrar/namespaces.html>`, as described in Section 4 of [XMPP Registrar Function \(XEP-0053\)](#)⁷.

6.2 Protocol Versioning

If the protocol defined in this specification undergoes a revision that is not fully backwards-compatible with an older version, the XMPP Registrar shall increment the protocol version number found at the end of the XML namespaces defined herein, as described in Section 4 of XEP-0053.

7 XML Schema

⁴XEP-0402: PEP Native Bookmarks `<https://xmpp.org/extensions/xep-0402.html>`.

⁵The Internet Assigned Numbers Authority (IANA) is the central coordinator for the assignment of unique parameter values for Internet protocols, such as port numbers and URI schemes. For further information, see `<http://www.iana.org/>`.

⁶The XMPP Registrar maintains a list of reserved protocol namespaces as well as registries of parameters used in the context of XMPP extension protocols approved by the XMPP Standards Foundation. For further information, see `<https://xmpp.org/registrar/>`.

⁷XEP-0053: XMPP Registrar Function `<https://xmpp.org/extensions/xep-0053.html>`.

```
<?xml version='1.0' encoding='UTF-8'?>

<xs:schema
  xmlns:xs='http://www.w3.org/2001/XMLSchema'
  targetNamespace='urn:xmpp:notification-settings:0'
  xmlns='urn:xmpp:notification-settings:0'
  elementFormDefault='qualified'>

  <xs:annotation>
    <xs:documentation>
      The protocol documented by this schema is defined in
      XEP-0492: http://www.xmpp.org/extensions/xep-0492.html
    </xs:documentation>
  </xs:annotation>

  <xs:element name='notify'>
    <xs:complexType>
      <xs:attribute name='when' default='always'>
        <xs:restriction base='xs:NCName'>
          <xs:enumeration value='always' />
          <xs:enumeration value='never' />
          <xs:enumeration value='on-mention' />
        </xs:restriction>
      </xs:attribute>
    </xs:complexType>
  </xs:element>
</xs:schema>
```