



# XMPP

## XEP-0315: Data Forms XML Element

Sergey Dobrov

<mailto:binary@jrudevels.org>

<xmpp:binary@jrudevels.org>

<http://jrudevels.org/>

2019-06-19

Version 0.1.1

Status	Type	Short Name
Deferred	Standards Track	xml-element

This specification defines an XMPP protocol extension for including XML-data in XEP-0004 data forms.

# Legal

## Copyright

This XMPP Extension Protocol is copyright © 1999 – 2024 by the [XMPP Standards Foundation](#) (XSF).

## Permissions

Permission is hereby granted, free of charge, to any person obtaining a copy of this specification (the "Specification"), to make use of the Specification without restriction, including without limitation the rights to implement the Specification in a software program, deploy the Specification in a network service, and copy, modify, merge, publish, translate, distribute, sublicense, or sell copies of the Specification, and to permit persons to whom the Specification is furnished to do so, subject to the condition that the foregoing copyright notice and this permission notice shall be included in all copies or substantial portions of the Specification. Unless separate permission is granted, modified works that are redistributed shall not contain misleading information regarding the authors, title, number, or publisher of the Specification, and shall not claim endorsement of the modified works by the authors, any organization or project to which the authors belong, or the XMPP Standards Foundation.

## Warranty

## NOTE WELL: This Specification is provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. ##

## Liability

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall the XMPP Standards Foundation or any author of this Specification be liable for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising from, out of, or in connection with the Specification or the implementation, deployment, or other use of the Specification (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if the XMPP Standards Foundation or such author has been advised of the possibility of such damages.

## Conformance

This XMPP Extension Protocol has been contributed in full conformance with the XSF's Intellectual Property Rights Policy (a copy of which can be found at <https://xmpp.org/about/xsf/ipr-policy>) or obtained by writing to XMPP Standards Foundation, P.O. Box 787, Parker, CO 80134 USA).

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>XML Element</b>	<b>1</b>
<b>3</b>	<b>Usage Practices</b>	<b>2</b>
<b>4</b>	<b>IANA Considerations</b>	<b>2</b>
<b>5</b>	<b>XMPP Registrar Considerations</b>	<b>2</b>
5.1	Protocol Namespaces . . . . .	2
<b>6</b>	<b>XML Schema</b>	<b>2</b>

## 1 Introduction

In certain protocols that make use of [Data Forms \(XEP-0004\)](#)<sup>1</sup>, it can be helpful to include XML-data (for example, when we want to insert a big amount of structured data which is hard to insert as a separate fields). This document defines a method for including XML-data in a data form.

## 2 XML Element

The root element for XML-data is `<wrapper/>`. This element MUST be qualified by the "urn:xmpp:xml-element" namespace. The `<wrapper/>` element MUST be contained within a `<field/>` element qualified by the 'jabber:x:data' namespace.

The `<wrapper/>` element SHOULD contain an XML-data which needs to be represented in a form.

Listing 1: PubSub Blog Node Metadata

```
<wrapper xmlns='urn:xmpp:xml-element'>
  <feed xmlns='http://www.w3.org/2005/Atom'>
    <title>Romeo&apos;s Microblog</title>
    <id>tag:montague.lit,2008:home</id>
    <updated>2008-05-08T18:30:02Z</updated>
    <author>
      <name>Romeo Montague</name>
      <uri>xmpp:romeo@montague.lit</uri>
    </author>
  </feed>
</wrapper>
```

Listing 2: Inclusion in Data Form

```
<x xmlns='jabber:x:data' type='form'>
  [ ... ]
  <field var='xml-metadata' type='hidden'>
    <wrapper xmlns='urn:xmpp:xml-element'>
      <feed xmlns='http://www.w3.org/2005/Atom'>
        <title>Romeo&apos;s Microblog</title>
        <id>tag:montague.lit,2008:home</id>
        <updated>2008-05-08T18:30:02Z</updated>
        <author>
          <name>Romeo Montague</name>
          <uri>xmpp:romeo@montague.lit</uri>
        </author>
      </feed>
    </wrapper>
  </field>
</x>
```

<sup>1</sup>XEP-0004: Data Forms <<https://xmpp.org/extensions/xep-0004.html>>.

```
    </wrapper>
  </field>
  [ ... ]
</x>
```

### 3 Usage Practices

XML-data is usually hard for manual editing and SHOULD be used only for machine level interactions. So it's RECOMMENDED to include it in the form as a "hidden" field.

However, there are situations when human editing of XML-data may be useful (for example, to see XML-logs of some XMPP-service). In that case it's RECOMMENDED for a client to represent this XML in a pretty formatted form and give an instruments to make it easier to edit XML-data.

### 4 IANA Considerations

This document requires no interaction with the [Internet Assigned Numbers Authority \(IANA\)](#)<sup>2</sup>.

### 5 XMPP Registrar Considerations

#### 5.1 Protocol Namespaces

The [XMPP Registrar](#)<sup>3</sup> includes "urn:xmpp:xml-element" in its registry of protocol namespaces (see <https://xmpp.org/registrar/namespaces.html>).

### 6 XML Schema

```
<?xml version='1.0' encoding='UTF-8'?>
<xs:schema
  xmlns:xs='http://www.w3.org/2001/XMLSchema'
  targetNamespace='urn:xmpp:xml-element'
  xmlns='urn:xmpp:xml-element'
  elementFormDefault='qualified'>
```

<sup>2</sup>The Internet Assigned Numbers Authority (IANA) is the central coordinator for the assignment of unique parameter values for Internet protocols, such as port numbers and URI schemes. For further information, see <http://www.iana.org/>.

<sup>3</sup>The XMPP Registrar maintains a list of reserved protocol namespaces as well as registries of parameters used in the context of XMPP extension protocols approved by the XMPP Standards Foundation. For further information, see <https://xmpp.org/registrar/>.

```
<xs:annotation>
  <xs:documentation>
    The protocol documented by this schema is defined in
    XEP-XXXX: http://www.xmpp.org/extensions/xep-xxxx.html
  </xs:documentation>
</xs:annotation>

<xs:element name='wrapper'>
  <xs:complexType>
    <xs:sequence>
      <xs:any minOccurs='0' maxOccurs='unbounded' />
    </xs:sequence>
  </xs:complexType>
</xs:element>

</xs:schema>
```